





Product

- DISCOVER U-LINK



























Code	Name	Description
P935072 00002	IGEA LB BT	Electromechanical operator for industrial folding doors (max. two panels) with panel length 2 m. door weight 250 kg and use semi-intensive.
P935077 00001	IGEA LB	Electromechanical operator for industrial folding doors (max. two panels) with panel length 2 m. door weight 250 kg and use semi-intensive.







Product

• PLUS

TECHNICAL FEATURES

ACCESSORIES

- DISCOVER U-LINK

PLUS



Control unit with programming display, automatic setting menu, simplified programming and virtual encoder in 24V version.



Built-in, adjustable, single-cable electromechanical limit switch system.



Removable steel cable release system.







Product


· PLUS

• TECHNICAL FEATURES

ACCESSORIES

- DISCOVER U-LINK

	IGEA LB BT	IGEA LB	
Control unit	THALIA	ALTAIR P	
Motor power supply	24 V	230 V	
Type of limit switch	electric		
Slowdown	yes	no	
Impact reaction	d-track	electric clutch	
Locking	mechanical	mechanical	
Release	external accessory with personal key	external accessory with personal key	
Frequency of use	semi-intensive	semi-intensive	
Max torque	300 Nm 320 Nm		
Environmental conditions	from -15 °C to 60 °C		
Protection rating	IP4X		









Product

DITIC

TECHNICAL FEATURES

• ACCESSORIES

- DISCOVER U-LINK

	Code	Name	Description
	D113703 00002	ALTAIR P	ALTAIR P control panel
	D113745 00002	THALIA	Control panel for one or two 24V operators for swing gates
O.C.	N733020	SEB	External key release for BERMA, FORB, IGEA LB and IGEA LB BTI







DISCOVER U-LINK

What is U-Link?

The innovative technology that gives you new power

An exclusive Bft innovation: U-Link (Universal Link) is an exclusive Bft platform that allows the creation of technological ecosystems. In Home Automation Access, it allows communication with all the home access automation devices of any brand. So you save time and can control everything with ease, without any worries.

It is intuitive

Easy to install and use

It is scalable

Allows an unlimited number of devices to be added

It is flexible

Allows the creation of groups of interconnected products

It is practical
Works with or without a web connection

It is functional

Parameters can be controlled remotely via dedicated applications





Product

PLUS

TECHNICAL FEATURES

ACCESSORIES

DISCOVER U-LINK

All in one scheme: discover this amazing technology

A unique platform allowing the creation of technological ecosystems offering a wide range of solutions for different sectors.

Thanks to the B-Eba cards and the Clonix U-Link receiver, this proprietary platform featured by Bft products adapts to any protocol and access automation product (even non-Bft and old generation), and is used in various sectors.

Each device thus becomes smart and can be interconnected with other systems, thanks to a language that becomes universal.

U-Base 2



Software to install, easily and comfortably carry out maintenance and identify any malfunction of U-link compatible operators.

U-SDK



U-Sdk is the innovative application that can make Bft automation systems compatible and easily integrated with a BMS network for the supervision of buildings.

Magistro



An innovative and easy to install system for easily managing all the home automation.

000

U-Control

U-Base 2

U-SDK

U-Control

U-Control is the application that helps the simple and quick integration of BFT automations in large building management systems.

Total St. St.

Blue-Entry

Technology abreast of the times and attentive to daily needs: thanks to the use of U-link the house gate can now be opened with just your smartphone.

Blue-Entry



Clonix U-Link

Allows the connection of old-generation products or non-Bft products to U-Link systems

Old-generation Bft operators or a product belonging to other brands: can they be connected to U-link? Yes, thanks to the Clonix receivers. Accessories that know no limits.

U-Base 2

U-LINK BASED RODUCTS

APPLICATION SECTORS

U-SDK

ACCESS AUTOMATIC

U-LINK: INTERCONNECTION



3-eba

A direct line with your operators.

B-eba expansion cards allow the connection of external devices, such as PCs, smartphones and tablets, to a Bft operator or Clonix receiver, or the connection of several Bft products in a U-Link network. These accessories integrate with U-Link technology and Bluetooth, Z-Wave, TCP/IP protocols, as well as the RS485 serial connection. A device that fully translates what Bft V intends as interconnectivity.







INFORMATION REGARDING THE PROTECTION OF THE INDUSTRIAL AND INTELLECTUAL PROPERTY RIGHTS OF BFT. BFT S.p.A. protects its industrial property by depositing trademarks, patents, models and designs. The intellectual property of BFT S.p.A. is protected by copyright law. BFT S.p.A. also protects its know-how by taking measures to protect the technical and commercial information inherent in its company and products. All the products in this catalogue are ORIGINAL BFT MODELS and only BFT S.p.A is authorised to produce them and market them anywhere in the world. All the commercial names in this catalogue are owned by BFT S.p.A., and only BFT S.p.A. is authorised to use them in relation to the corresponding merchandise category. FALSIFIERS WILL BE PROCEEDED AGAINST IN ACCORDANCE WITH BOTH CIVIL AND CRIMINAL LAW. THESE CONDITIONS NOT ONLY GUARANTEE THE INTELLECTUAL PROPERTY RIGHTS OF BFT, BUT ALSO PROTECT CUSTOMERS BY GUARANTEEING THAT THE PRODUCTS THEY ARE PURCHASING ARE ORIGINAL BFT PRODUCTS RESULTING FROM STUDIES AND DESIGNS WITHIN THE BFT COMPANY.